



Programme of Requirements part 3a: Certificate Policy for certificates in Organization Person (G3) Domain

Version 4.11
Date February 28, 2023

[OID 2.16.528.1.1003.1.2.5.1] Authenticity
[OID 2.16.528.1.1003.1.2.5.2] Non repudiation
[OID 2.16.528.1.1003.1.2.5.3] Confidentiality

Publishers imprint

Version number 4.11
Contact person Policy Authority of PKIoverheid

Organization Logius

Street address

Wilhelmina van Pruisenweg 52

Postal address

Postbus 96810

2509 JE DEN HAAG

T 0900-555 4555

servicecentrum@logius.nl

Contents

1. INTRODUCTION	10
<i>1.1 Overview</i>	10
<i>1.2 Document name and identification</i>	10
1.2.1 Revisions	10
1.2.1.1 Version 3.7 to 4.0	10
1.2.1.2 Version 4.0 to 4.1	10
1.2.1.3 Version 4.1 to 4.2	10
1.2.1.4 Version 4.2 to 4.3	11
1.2.1.5 Version 4.3 to 4.4	11
1.2.1.6 Version 4.4 to 4.5	11
1.2.1.7 Version 4.5 to 4.6	11
1.2.1.8 Version 4.6 to 4.7	12
1.2.1.9 Version 4.7 to 4.8	12
1.2.1.10 Version 4.8 to 4.9	12
1.2.1.11 Version 4.9 to 4.10	13
1.2.1.12 Version 4.10 to 4.11	14
1.2.2 Relevant dates	14
<i>1.3 PKI participants</i>	15
1.3.1 Certification authorities	15
1.3.2 Registration authorities	15
1.3.3 Subscribers	15
1.3.4 Relying parties	16
1.3.5 Other participants	16
<i>1.4 Certificate usage</i>	16
1.4.1 Appropriate certificate uses	16
1.4.2 Prohibited certificate uses	16
<i>1.5 Policy administration</i>	16
1.5.1 Organization administering the document	16
1.5.2 Contact person	17
1.5.3 Person determining CPS suitability for the policy	17
1.5.4 CP approval procedures	17
<i>1.6 Definitions and acronyms</i>	17
1.6.1 Conventions	17
2. PUBLICATION AND REPOSITORY RESPONSIBILITIES	18
<i>2.1 Repositories</i>	18
<i>2.2 Publication of certification information</i>	18

2.3	<i>Time or frequency of publication</i>	18
2.4	<i>Access controls on repositories</i>	18
3.	IDENTIFICATION AND AUTHENTICATION	19
3.1	<i>Naming</i>	19
3.1.1	Types of names	19
3.1.2	Need for names to be meaningful	19
3.1.3	Anonymity or pseudonymity of subscribers	19
3.1.4	Rules for interpreting various name forms	19
3.1.5	Uniqueness of names	19
3.1.6	Recognition, authentication, and role of trademarks	19
3.2	<i>Initial identity validation</i>	19
3.2.1	Method to prove possession of private key	19
3.2.2	Authentication of organization identity	19
3.2.3	Authentication of individual identity	20
3.2.4	Non-verified subscriber information	21
3.2.5	Validation of authority	21
3.2.6	Criteria for interoperation	23
3.3	<i>Identification and authentication for re-key requests</i>	23
3.3.1	Identification and authentication for routine re-key	23
3.3.2	Identification and authentication for re-key after revocation	23
3.4	<i>Identification and authentication for revocation request</i>	23
4.	CERTIFICATE LIFE-CYCLE OPERATIONAL REQUIREMENTS	24
4.1	<i>Certificate Application</i>	24
4.1.1	Who can submit a certificate application	24
4.1.2	Enrollment process and responsibilities	24
4.2	<i>Certificate application processing</i>	24
4.2.1	Performing identification and authentication functions	24
4.2.2	Approval or rejection of certificate applications	24
4.2.3	Time to process certificate applications	24
4.3	<i>Certificate issuance</i>	24
4.3.1	CA actions during certificate issuance	24
4.3.2	Notification to subscriber by the CA of issuance of Certificate	24
4.4	<i>Certificate acceptance</i>	24
4.4.1	Conduct constituting certificate acceptance	24
4.4.2	Publication of the certificate by the CA	24
4.4.3	Notification of certificate issuance by the CA to other Entities	24
4.5	<i>Key pair and certificate usage</i>	25
4.5.1	Subscriber private key and certificate usage	25
4.5.2	Relying party public key and certificate usage	25
4.6	<i>Certificate renewal</i>	25
4.6.1	Circumstance for certificate renewal	25
4.6.2	Who may request renewal	25

4.6.3 Processing certificate renewal requests	25
4.6.4 Notification of new certificate issuance to subscriber	25
4.6.5 Conduct constituting acceptance of a renewal certificate	25
4.6.6 Publication of the renewal certificate by the CA	25
4.6.7 Notification of certificate issuance by the CA to other entities	25
<i>4.7 Certificate re-key</i>	<i>25</i>
4.7.1 Circumstance for certificate re-key	25
4.7.2 Who may request certification of a new public key	25
4.7.3 Processing certificate re-keying requests	25
4.7.4 Notification of new certificate issuance to subscriber	26
4.7.5 Conduct constituting acceptance of a re-keyed certificate	26
4.7.6 Publication of the re-keyed certificate by the CA	26
4.7.7 Notification of certificate issuance by the CA to other entities	26
<i>4.8 Certificate modification</i>	<i>26</i>
4.8.1 Circumstance for certificate modification	26
4.8.2 Who may request certificate modification	26
4.8.3 Processing certificate modification requests	26
4.8.4 Notification of new certificate issuance to subscriber	26
4.8.5 Conduct constituting acceptance of modified certificate	26
4.8.6 Publication of the modified certificate by the CA	26
4.8.7 Notification of certificate issuance by the CA to other entities	26
<i>4.9 Certificate revocation and suspension</i>	<i>26</i>
4.9.1 Circumstances for revocation	26
4.9.2 Who can request revocation.....	27
4.9.3 Procedure for revocation request.....	27
4.9.4 Revocation request grace period.....	28
4.9.5 Time within which CA must process the revocation request	28
4.9.6 Revocation checking requirement for relying parties.....	28
4.9.7 CRL issuance frequency (if applicable).....	28
4.9.8 Maximum latency for CRLs (if applicable)	28
4.9.9 On-line revocation/status checking availability	28
4.9.10 On-line revocation checking requirements.....	29
4.9.11 Other forms of revocation advertisements available.....	29
4.9.12 Special requirements related to key compromise	29
4.9.13 Circumstances for suspension	30
4.9.14 Who can request suspension	30
4.9.15 Procedure for suspension request	30
4.9.16 Limits on suspension period	30
<i>4.10 Certificate status services.....</i>	<i>30</i>
4.10.1 Operational characteristics.....	30
4.10.2 Service availability	30
4.10.3 Optional features.....	30
<i>4.11 End of subscription</i>	<i>30</i>
<i>4.12 Key escrow and recovery.....</i>	<i>30</i>
4.12.1 Key escrow and recovery policy and practices.....	30
4.12.2 Session key encapsulation and recovery policy and practices	30

5. FACILITY, MANAGEMENT, AND OPERATIONAL CONTROLS	31
<i>5.1 Physical controls</i>	<i>31</i>
5.1.1 Site location and construction	31
5.1.2 Physical access	31
5.1.3 Power and air conditioning.....	31
5.1.4 Water exposures	31
5.1.5 Fire prevention and protection	31
5.1.6 Media storage.....	31
5.1.7 Waste disposal.....	31
5.1.8 Off-site backup	31
<i>5.2 Procedural controls.....</i>	<i>31</i>
5.2.1 Trusted roles	31
5.2.2 Number of persons required per task	31
5.2.3 Identification and authentication for each role	31
5.2.4 Roles requiring separation of duties	31
<i>5.3 Personnel controls.....</i>	<i>32</i>
5.3.1 Qualifications, experience, and clearance requirements	32
5.3.2 Background check procedures.....	32
5.3.3 Training requirements	32
5.3.4 Retraining frequency and requirements	32
5.3.5 Job rotation frequency and sequence	32
5.3.6 Sanctions for unauthorized actions	32
5.3.7 Independent contractor requirements	32
5.3.8 Documentation supplied to personnel.....	32
<i>5.4 Audit logging procedures.....</i>	<i>32</i>
5.4.1 Types of events recorded.....	32
5.4.2 Frequency of processing log.....	33
5.4.3 Retention period for audit log	33
5.4.4 Protection of audit log	33
5.4.5 Audit log backup procedures	33
5.4.6 Audit collection system (internal vs. external)	33
5.4.7 Notification to event-causing subject.....	33
5.4.8 Vulnerability assessments.....	34
<i>5.5 Records archival</i>	<i>34</i>
5.5.1 Types of records archived	34
5.5.2 Retention period for archive.....	34
5.5.3 Protection of archive.....	34
5.5.4 Archive backup procedures	34
5.5.5 Requirements for time-stamping of records	34
5.5.6 Archive collection system (internal or external)	34
5.5.7 Procedures to obtain and verify archive information	34
<i>5.6 Key changeover.....</i>	<i>34</i>
<i>5.7 Compromise and disaster recovery.....</i>	<i>34</i>
5.7.1 Incident and compromise handling procedures	34
5.7.2 Computing resources, software, and_or data are corrupted.....	35

5.7.3 Entity private key compromise procedures	35
5.7.4 Business continuity capabilities after a disaster	35
5.8 CA or RA termination.....	35
6. TECHNICAL SECURITY CONTROLS.....	36
6.1 Key pair generation and installation.....	36
6.1.1 Key pair generation	36
6.1.2 Private key delivery to subscriber	36
6.1.3 Public key delivery to certificate issuer	37
6.1.4 CA public key delivery to relying parties	37
6.1.5 Key sizes.....	37
6.1.6 Public key parameters generation and quality checking	37
6.1.7 Key usage purposes (as per X.509 v3 key usage field)	37
6.2 Private Key Protection and Cryptographic Module Engineering Controls.....	37
6.2.1 Cryptographic module standards and controls	37
6.2.2 Private key (n out of m) multi-person control	37
6.2.3 Private key escrow	37
6.2.4 Private key backup	38
6.2.5 Private key archival	38
6.2.6 Private key transfer into or from a cryptographic module	38
6.2.7 Private key storage on cryptographic module	38
6.2.8 Method of activating private key.....	38
6.2.9 Method of deactivating private key	38
6.2.10 Method of destroying private key.....	38
6.2.11 Cryptographic Module Rating.....	38
6.3 Other aspects of key pair management.....	39
6.3.1 Public key archival.....	39
6.3.2 Certificate operational periods and key pair usage periods	40
6.4 Activation data	40
6.4.1 Activation data generation and installation.....	40
6.4.2 Activation data protection.....	40
6.4.3 Other aspects of activation data	41
6.5 Computer security controls.....	41
6.5.1 Specific computer security technical requirements	41
6.5.2 Computer security rating.....	41
6.6 Life cycle technical controls	41
6.6.1 System development controls	41
6.6.2 Security management controls.....	41
6.6.3 Life cycle security controls.....	41
6.7 Network security controls.....	41
6.7.1 Network security controls (duplicate)	41
6.8 Time-stamping	41
7. CERTIFICATE, CRL, AND OCSP PROFILES	42

<i>7.1 Certificate profile</i>	42
7.1.1 Version number(s).....	43
7.1.2 Certificate extensions	43
7.1.3 Algorithm object identifiers.....	43
7.1.4 Name forms	43
7.1.5 Name constraints	43
7.1.6 Certificate policy object identifier.....	43
7.1.7 Usage of Policy Constraints extension.....	43
7.1.8 Policy qualifiers syntax and semantics.....	43
7.1.9 Processing semantics for the critical Certificate Policies extension	43
<i>7.2 CRL profile</i>	43
7.2.1 Version number(s).....	44
7.2.2 CRL and CRL entry extensions.....	44
<i>7.3 OCSP profile</i>	44
7.3.1 Version number(s).....	44
7.3.2 OCSP extensions	44
8. COMPLIANCE AUDIT AND OTHER ASSESSMENTS	45
<i>8.1 Frequency or circumstances of assessment</i>	45
<i>8.2 Identity/qualifications of assessor</i>	45
<i>8.3 Assessors relationship to assessed entity</i>	45
<i>8.4 Topics covered by assessment</i>	45
<i>8.5 Actions taken as a result of deficiency</i>	45
<i>8.6 Communication of results</i>	45
9. OTHER BUSINESS AND LEGAL MATTERS	46
<i>9.1 Fees</i>	46
9.1.1 Certificate issuance or renewal fees	46
9.1.2 Certificate access fees.....	46
9.1.3 Revocation or status information access fees	46
9.1.4 Fees for other services	46
9.1.5 Refund policy	46
<i>9.2 Financial responsibility</i>	46
9.2.1 Insurance coverage	46
9.2.2 Other assets	46
9.2.3 Insurance or warranty coverage for end-entities	46
<i>9.3 Confidentiality of business information</i>	47
9.3.1 Scope of confidential information.....	47
9.3.2 Information not within the scope of confidential information.....	47
9.3.3 Responsibility to protect confidential information	47
<i>9.4 Privacy of personal information</i>	47
9.4.1 Privacy plan.....	47
9.4.2 Information treated as private	47

9.4.3 Information not deemed private	47
9.4.4 Responsibility to protect private information	47
9.4.5 Notice and consent to use private information	47
9.4.6 Disclosure pursuant to judicial or administrative process.....	47
9.4.7 Other information disclosure circumstances	47
<i>9.5 Intellectual property rights</i>	<i>47</i>
<i>9.6 Representations and warranties</i>	<i>47</i>
9.6.1 CA representations and warranties	47
9.6.2 RA representations and warranties	48
9.6.3 Subscriber representations and warranties.....	48
9.6.4 Relying party representations and warranties	48
9.6.5 Representations and warranties of other participants	48
<i>9.7 Disclaimers of warranties</i>	<i>48</i>
<i>9.8 Limitations of liability</i>	<i>48</i>
<i>9.9 Indemnities.....</i>	<i>49</i>
<i>9.10 Term and termination</i>	<i>49</i>
9.10.1 Term.....	49
9.10.2 Termination	49
9.10.3 Effect of termination and survival	49
<i>9.11 Individual notices and communications with participants</i>	<i>49</i>
<i>9.12 Amendments</i>	<i>49</i>
9.12.1 Procedure for amendment	49
9.12.2 Notification mechanism and period	49
9.12.3 Circumstances under which OID must be changed	49
<i>9.13 Dispute resolution provisions</i>	<i>49</i>
<i>9.14 Governing law.....</i>	<i>49</i>
<i>9.15 Compliance with applicable law</i>	<i>49</i>
<i>9.16 Miscellaneous provisions</i>	<i>49</i>
9.16.1 Entire agreement	49
9.16.2 Assignment	50
9.16.3 Severability	50
9.16.4 Enforcement (attorneys' fees and waiver of rights)	50
9.16.5 Force Majeure	50
<i>9.17 Other provisions.....</i>	<i>50</i>
Appendix A: Certificate Attributes	51
<i>Criteria</i>	<i>51</i>
<i>Personal certificates.....</i>	<i>52</i>

1. INTRODUCTION

1.1 Overview

Refer to Programme of Requirements part 3 Basic Requirements.

1.2 Document name and identification

1.2.1 Revisions

1.2.1.1 Version 3.7 to 4.0

New

- Requirement 5.5.1-pkio82.

Modifications

- PoR requirements have been renumbered according to a new naming convention;
- The creation of a document containing the baseline and additional requirements;
- Changes to requirements can be found in the baseline and additional requirements documents respectively.

Editorial

- Editorial changes to requirements can be found in the baseline and additional requirements documents respectively. These changes have no effect on the content of the information.

1.2.1.2 Version 4.0 to 4.1

New

- Certification against ETSI TS 102 042 (effective date no later than 4 weeks after publication of PoR 4.1).

Modifications

- Description of the attribute Subject.organizationName (effective date no later than 4 weeks after publication of PoR 4.1).

Editorial

- Small editorial changes to the following requirements:
 - 3.1.3-pkio11;
 - 3.2.5-pkio32;
 - 5.7.4-pkio86;
 - 9.6.1-pkio131.

1.2.1.3 Version 4.1 to 4.2

New

- Requirement 7.1-pkio149 (effective date 1 july 2016).

Modifications

None.

Editorial

None.

1.2.1.4 Version 4.2 to 4.3

New

- Addition of issuer.organizationalIdentifier in the certificate profile (effective date 1-7-2016).

Modifications

- Description with attribute CertificatePolicies (effective date 1-7-2016);
- Removal optional use KeyAgreement with Key Usage (effective date no later than 4 weeks after publication of PoR 4.3);
- Mandatory QcStatement qualified certificate (effective date 1-7-2016);
- ETSI TS 102 176-1 replaced by ETSI TS 119 312 (effective date no later than 4 weeks after publication of PoR 4.3);
- Use of values in BasicConstraints field no longer permitted in end entity certificates (effective date 1-7-2016);
- Use of "Any ExtendedKeyUsage" in end entity certificates no longer permitted (effective date 1-11-2016).

Editorial

- Removed references to G1 (expired) and clarified reference to G3 (domains).

1.2.1.5 Version 4.3 to 4.4

New

None.

Modifications

- Removal of requirement 5.3.2-pkio79 (effective date 1-2-2017);
- Clarification of issuer.organizationalIdentifier field (effective date 1-2-2017);
- Tightening of use optional EKUs that conflict with the parent TSP CA certificate (effective date 1-2-2017).

Editorial

- Replaced CSP (Certificate Service Provider) with TSP (Trust Service Provider) in accordance with eIDAS directive.

1.2.1.6 Version 4.4 to 4.5

New

- Mandatory English CPS (requirement 2.2-pkio3, effective date 1-10-2017);
- Mandatory yearly renewal CPS (requirement 2.2-pkio156, effective date 1-1-2017).

Modifications

- Requirement 4.9.9-pkio67 now references RFC6960 instead of RFC2560 (effective date 31-12-2016);
- Allow/require EKU emailProtection in authenticity and non-repudiation certificates in requirement 7.1-pkio149 (effective date 1-4-2017);
- Change in OID 2.16.528.1.1003.1.2.5.1 to also cover OCSP responder certificates (effective date 1-7-2017);
- Mandatory use of field "NextUpdate" in OCSP responses (requirement 4.9.9-pkio71, effective date 1-7-2017).

Editorial

- Removed typos from certificate profile.

1.2.1.7 Version 4.5 to 4.6

New

None.

Modifications

- Modified reference to ETSI certificate profiles (effective date directly after publication of PoR 4.6);
- Certificate profile, remove exception subject.surname and subject.givenname (effective date directly after publication of PoR 4.6).

Editorial

None.

1.2.1.8 Version 4.6 to 4.7

New

- Requirement 3.2.5-pkio160, list of limitative professions (transferred from PoR part 4) (effective date immediately after publication POR 4.7);
- Requirement 7.1-pkio177 (effective date immediately after publication POR 4.7);
- Requirement 3.2.3-pkio169 (effective date 4 weeks after publication of POR 4.7).

Modifications

- Authentic proof for practicing a recognized profession combined in requirement 3.2.5-pkio29 (effective date immediately after publication POR 4.7);
- Reference to CWA 14 169 amended to EN 419 211 for QSCDs. This also sets requirements for issuing QSCDs for requirements 6.1.1-pkio88, 6.2.11-pkio104, 6.2.11-pkio105, 6.2.11-pkio106, 6.4.1-pkio112 and 4.9.1-pkio52;
- Limitative list of professions updated, "municipal" tax bailiff (latest effective date 4 weeks after publication of POR 23);
- Description of a number of certificate attributes replaced by reference to requirement 7.1-pkio174 (effective date 8 weeks after publication POR 4.7).

Editorial

None.

1.2.1.9 Version 4.7 to 4.8

New

- Requirement 3.2.2-pkio186 for (re)validation of organizational data (effective date immediately after publication PoR 4.8).

Modifications

- Requirement 9.17-pkio139 removed (effective date immediately after publication PoR 4.8);
- Requirement 7.1-pkio173 change in serial number requirements (effective date august 29, 2019).

Editorial

- Reference to ETSI TS 101 456 7.2.8.d changed to 411-1 in requirement 6.1.2-pkio94 (effective date immediately after publication PoR 4.8);
- Changed definition of private key in requirement 4.9.1-pkio52 (effective date immediately after publication PoR 4.8);
- Requirement 4.9.9-pkio68 referenced altered (effective date immediately after publication PoR 4.8).

1.2.1.10 Version 4.8 to 4.9

New

- Created new requirement 8.1-pkio189 as an Additional Requirement for PoR Part 3a (effective date 02-17-2020).
- Introducing new requirement 2.2-PKIo191 for RFC 3647 compliance (effective date after 01-04-2020).

- Created new requirement 4.9.1-pkio192 on certificate revocation as an Additional Requirement for PoR Part 3a (effective date 02-17-2020).

Modifications

- Change requirements 6.1.1-pkio89 on allowed signatures (effective date immediately after publication of PoR 4.9).
- Requirement 4.9.1-pkio52 no longer required for PoR Part 3a (effective date immediately after publication of PoR 4.9).
- Change the subject.title field in the certificate profiles in PoR part 3a (effective date immediately after publication of PoR 4.9).

Deletions

- Requirement 6.1.1-pkio87 has been removed.
- Requirement 6.2.3-pkio101 has been removed.

Editorial

None.

1.2.1.11 Version 4.9 to 4.10

New

- Added basic requirement 8.2-pkio199.
- Added new additional requirement 8.4-pkio194.
- Added new additional requirement 8.4-pkio200.

Modifications

- Added "Taxichauffeur" as a recognized profession to requirement 3.2.5-pkio160.
- Fix of regression error in QcStatement in Certificate Profile of PoR Part 3a.
- Change the criterium for the subject:surname attribute from O to V in the certificate profile.
- Change the criterium for the subject:givenName attribute from V/O to V in the certificate profile.
- Change the description, explanation, and criterium of the extensions:subjectAltName:otherName attribute in the certificate profile.
- Expand the description of the extensions:certificatePolicies field in the certificate profile with additional ETSI 319 411 certificate policies.
- Change the extensions:certificatePolicies:policyQualifiers:qualifier:userNotice field criteria to "MAY" in the certificate profile.
- Adopted the usage of the EU Regulated Profession Database in requirement 3.2.5-pkio160.
- Replace Telecommunications Act with eDIAS in requirement 9.6.1-pkio127.

Removals

- Remove the subject:postalAddress attribute from the certificate profile.
- Remove the subject:organizationalUnitName attribute from the certificate profile.
- Remove the extensions:subjectDirectoryAttributes attribute from the certificate profile.
- Remove the extensions:freshestCRL field from the certificate profile.
- Remove the extensions:subjectInfoAccess field from the certificate profile.
- Remove the extensions:biometricInfo field from the certificate profile.
- Remove requirement 9.6.1-pkio129.

Editorial

- Editorial changes in the description and explanation of the extensions:certificatePolicies:policyQualifiers:qualifier:userNotice field in the certificate profile resulting from combining change 450 with change 445.13.
- Expanded the description of the extensions:basicConstraints field in the certificate profile.
- Editorial changes to requirement 9.6.1-pkio127.

1.2.1.12 Version 4.10 to 4.11

New

None.

Modifications

None.

Removals

None.

Editorial

None.

1.2.2 Relevant dates

Version	Date	Description
4.0	12-2014	Ratified by the Ministry of the Interior and Kingdom Relations December 2014
4.1	07-2015	Ratified by the Ministry of the Interior and Kingdom Relations July 2015
4.2	01-2016	Ratified by the Ministry of the Interior and Kingdom Relations January 2016
4.3	07-2016	Ratified by the Ministry of the Interior and Kingdom Relations July 2016
4.4	02-2017	Ratified by the Ministry of the Interior and Kingdom Relations February 2017
4.5	07-2017	Ratified by the Ministry of the Interior and Kingdom Relations July 2017
4.6	01-2018	Ratified by the Ministry of the Interior and Kingdom Relations January 2018
4.7	01-2019	Ratified by the Ministry of the Interior and Kingdom Relations January 2019
4.8	02-2020	Ratified by the Ministry of the Interior and Kingdom Relations February 2020
4.9	02-2021	Ratified by the Ministry of the Interior and Kingdom Relations February 2021

4.10	02-2022	Ratified by the Ministry of the Interior and Kingdom Relations February 2022
4.11	02-2023	Ratified by the Ministry of the Interior and Kingdom Relations February 2023

1.3 PKI participants

1.3.1 Certification authorities

In this document the distinction is made between the term Certification Authority (CA) and Trust Service Provider. In international usage, "CA" is an umbrella term that refers to all entities authorized to issue, manage, revoke, and renew certificates. This can apply to the actual CA certificate as well as the organization. In this CP, the organization which holds a CA is referred to as a TSP. The term CA is used to refer to the infrastructure and keymaterial from which a TSP issues and signs certificates. This CP covers all certificates issued and signed by the following CAs hereinafter referred to as TSPs.

Common Name	Not Before	Not After	Serial Number	SHA256 Fingerprint
Digidentity BV PKIoverheid Organisatie Persoon CA - G3 (2019)	17 Apr 2019	12 Nov 2028	4c202f4cb11a53b4e82ce1b888f 63eabc21b988f	533FE97EB45FCED24049E41EFE 9DB254A5DD9D90DFD53C9512 C6207EDB21D82C
KPN BV PKIoverheid Organisatie Persoon CA - G3	08 Dec 2016	12 Nov 2028	1083177823492852633 (0xf08387dd5df4b99)	A9B5698C5263BEFF3D60720DC 1844CB95D16F06E04268BCE3B E4D60282B01EF9
MinIenW PKIoverheid Organisatie Persoon CA - G3	16 Apr 2019	12 Nov 2028	728a43bfca6d3147465eaa1a6fb 6b2533ebc009f	5FBF6ED4F0F87ADA65FAE7AAA B4AD9E1B5A586939AEDFB39A4 926BE7F65C650C
Ministerie van Defensie PKIoverheid Organisatie Persoon CA - G3	27 Jun 2019	12 Nov 2028	2a41257774a0ac234977fe3a77b 9e67e79f57d4d	5F6CAA44A4663C441DD92C8B6 655FBF97CF6E1D6934DB8F5F8 D97ADF7033FAAC
QuoVadis PKIoverheid Organisatie Persoon CA - 2022	27 Jan 2022	12 Nov 2028	73f5e35639d5880c6eeeffd94b3 3f5a56b7ee9f	56521521E7EA27EAAE33F0095 D5B871CDA3AF4A80A62E08594 CBAD6EF2806307
QuoVadis PKIoverheid Organisatie Persoon CA - G3	03 Nov 2016	12 Nov 2028	2641258609597023203	15073C6BBDC74699A88518C27 A57C956E5E23D6CA9619E521A 468C7873DE4F8A
UZI-register Medewerker op naam CA G3 (2017)	09 May 2017	12 Nov 2028	2127244519674355723	D8553A2880E96B7AA4C7413DD 903AFD3D580504695DD26A168 FD48CCE7B1474A
UZI-register Medewerker op naam CA G3 (2019)	18 Apr 2019	12 Nov 2028	24ef1eed6ff448f94ad2d196bdd3 d164dcca89b	D28DB435E31212A3BDCCF8762 0F6544B99A9C02328BF983E882 FD0627A1D130F
UZI-register Zorgverlener CA G3 (2017)	09 May 2017	12 Nov 2028	2459364056111927860	3EAD4F72F06F1054881D2728D E033A8E13FADE6BD165084018 EB943C17378DAA
UZI-register Zorgverlener CA G3 (2019)	18 Apr 2019	12 Nov 2028	61b6fd9d33feaa70f02e27fb98b7 6f8282ba4128	507DB60D263D3D09D283DE2E 3AA435DFD8775E52BC335702E 3832BBB57EC1CBD

1.3.2 Registration authorities

Refer to Programme of Requirements part 3 Basic Requirements.

1.3.3 Subscribers

Refer to Programme of Requirements part 3 Basic Requirements.

1.3.4 Relying parties

Refer to Programme of Requirements part 3 Basic Requirements.

1.3.5 Other participants

Refer to Programme of Requirements part 3 Basic Requirements.

1.4 Certificate usage

1.4.1 Appropriate certificate uses

The use of certificates issued under this CP relates to communication of certificate holders who act on behalf of the subscriber.

[OID 2.16.528.1.1003.1.2.5.1]

Authenticity certificates, that are issued under this CP, can be used to reliably identify and authenticate persons, organizations and resources electronically. This concerns both the mutual identification of people and identification between people and computerized devices.

Under this OID OCSP responder certificates may be issued for use within the domain Organisation Person. Said certificates can be used to sign OCSP responses for use in the verification of the validity of the end user certificate. More information can be obtained in appendix A of the base requirements.

[OID 2.16.528.1.1003.1.2.5.2]

Signature certificates, that are issued under this CP, can be used to verify electronic signatures, that have "the same legal consequences as a handwritten signature", as stated in article 15a, first and second paragraphs, in Title 1 of Book 3 of the Dutch Civil Code (Burgerlijk Wetboek) under section 1A and are qualified certificates as referred to in article 1.1, paragraph ss of the Telecommunications Act (Telecomwet).

[OID 2.16.528.1.1003.1.2.5.3]

Confidentiality certificates, that are issued under this CP, can be used to protect the confidentiality of data that is exchanged and/or stored in an electronic form. This concerns both the mutual exchange between people and exchange between people and computerized devices.

1.4.2 Prohibited certificate uses

Refer to Programme of Requirements part 3 Basic Requirements.

1.5 Policy administration

1.5.1 Organization administering the document

The Ministry of Interior and Kingdom Relations (BZK) is responsible for this CPS. BZK has delegated this responsibility to Logius, including approval of changes of this document.

1.5.2 Contact person

Policy Authority PKIoverheid
Wilhelmina van Pruisenweg 52
Postbus 96810
2509 JE DEN HAAG
<http://www.logius.nl/pkioverheid>
servicecentrum@logius.nl¹

1.5.3 Person determining CPS suitability for the policy

The Policy Authority PKIoverheid (PA) determines the suitability of CPSs published as a result of this CP.

1.5.4 CP approval procedures

The PA PKIoverheid reserves the right to amend this CP. Changes are applicable from the date that is listed in section *1.2.2. Relevant dates*. The management of Logius is responsible for following the procedures as listed in section *9.12 Amendments* and final approval of this CP.

1.6 Definitions and acronyms

1.6.1 Conventions

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in these Requirements MUST be interpreted in accordance with RFC 2119.

¹ <mailto:servicecentrum@logius.nl>

2. PUBLICATION AND REPOSITORY RESPONSIBILITIES

Refer to Programme of Requirements part 3 Basic Requirements.

2.1 Repositories

Refer to Programme of Requirements part 3 Basic Requirements.

2.2 Publication of certification information

Refer to Programme of Requirements part 3 Basic Requirements.

Additional requirements:

- Page:
2.2-pkio191 —

Description	The CPS of the TSP MUST follow the layout according to RFC 3647. All sections and subsections as defined in RFC3647 MUST be included in the CPS. Empty passages are not allowed. If there is no further requirement or explanation from a TSP for that paragraph, the text "No stipulation" MUST be included. Additional sections may be included, as long as they come after the sections and subsections defined by RFC 3647 and therefore do not change the RFC numbering.
Comment	-

- Page:
2.2-pkio3 —

Description	The CPS MUST be available in English. If a CPS is published in multiple languages there MUST be no substantial substantive difference between the different versions. In case of interpretation disputes related to CPS texts the English language version SHALL always be leading.
Comment	-

2.3 Time or frequency of publication

Refer to Programme of Requirements part 3 Basic Requirements.

2.4 Access controls on repositories

Refer to Programme of Requirements part 3 Basic Requirements.

3. IDENTIFICATION AND AUTHENTICATION

Refer to Programme of Requirements part 3 Basic Requirements.

3.1 Naming

Refer to Programme of Requirements part 3 Basic Requirements.

3.1.1 Types of names

Refer to Programme of Requirements part 3 Basic Requirements.

3.1.2 Need for names to be meaningful

Refer to Programme of Requirements part 3 Basic Requirements.

3.1.3 Anonymity or pseudonymity of subscribers

Refer to Programme of Requirements part 3 Basic Requirements.

Additional requirements:

- Page:
3.1.3-pkio11 —

Description	Pseudonyms MUST NOT be used in certificates.
Comment	-

3.1.4 Rules for interpreting various name forms

Refer to Programme of Requirements part 3 Basic Requirements.

3.1.5 Uniqueness of names

Refer to Programme of Requirements part 3 Basic Requirements.

3.1.6 Recognition, authentication, and role of trademarks

Refer to Programme of Requirements part 3 Basic Requirements.

3.2 Initial identity validation

Refer to Programme of Requirements part 3 Basic Requirements.

3.2.1 Method to prove possession of private key

Refer to Programme of Requirements part 3 Basic Requirements.

3.2.2 Authentication of organization identity

Refer to Programme of Requirements part 3 Basic Requirements.

Additional requirements:

- Page:
3.2.2-pkio14 —

Description	When issuing organization-linked certificates the TSP has to verify that the subscriber is an existing organization.
Comment	-

- Page:
3.2.2-pkio16 —

Description	In terms of organization-linked certificates, the TSP has to verify that the name of the organization registered by the subscriber that is incorporated in the certificate is correct and complete.
Comment	-

- Page:
3.2.2-pkio186 —

Description	<p>If an organization changes its name but the underlying registration number (e.g. HRN) remains the same, then the subscriber DOES NOT have to go through the subscription registration again. If the organization name remains the same but the underlying registration number changes, then the TSP MUST perform the subscription registration again.</p> <p>In both cases, the existing certificate must be withdrawn because the data in the certificate no longer conforms to the originally validated data.</p>
Comment	-

3.2.3 Authentication of individual identity

Refer to Programme of Requirements part 3 Basic Requirements.

Additional requirements:

- Page:
3.2.3-pkio169 —

Description	For certificates that are suitable for signing and / or encrypting e-mail messages and which include the e-mail address of the certificate holder, the TSP will take appropriate measures to ensure that the applicant has control over the e-mail address in question OR that he / she is authorized by the holder of the e-mail address to have this e-mail address included in a certificate. The TSP MUST state clearly in its CPS which procedures have been implemented to confirm the above. In these procedures, the TSP MUST perform validation of the domain part (@domain.com ²) itself. This check MUST NOT be performed by third parties.
Comment	-

- Page:
3.2.3-pkio21 —

² <http://domain.com>

Description	When issuing certificates to natural persons the TSP has to verify that the full name used by the certificate holder that is incorporated in the certificate is correct and complete, including the surname, first forename, initials or other forename(s) (if applicable) and surname prefixes (if applicable).
Comment	-

3.2.4 Non-verified subscriber information

Refer to Programme of Requirements part 3 Basic Requirements.

3.2.5 Validation of authority

Refer to Programme of Requirements part 3 Basic Requirements.

Additional requirements:

- Page:
3.2.5-pkio160 —

Description	<p>Regulated Profession Certificates SHALL be issued only to subscribers</p> <ul style="list-style-type: none"> • which have a profession which either <ul style="list-style-type: none"> • is included in the EU Regulated Professions Database (Directive 2005/36/EC), or • is included in this limitative list: <ul style="list-style-type: none"> • Notaris (Civil Law Notary); • Toegevoegd Notaris (Added Notary); • Gerechtsdeurwaarder (Court Bailiff); • Those who have been entered into a register as meant in article 3 of the Professions in the individual healthcare Act (Wet op de beroepen in de individuele gezondheidszorg (Wet BIG)); • Those who practice a profession of which the education is mandated through article 34, section 1 and article 36a of the Professions in the individual healthcare Act (Wet op de beroepen in de individuele gezondheidszorg (Wet BIG)); • Waarnemend gerechtsdeurwaarder (Acting Court Bailiff); • Toegevoegd gerechtsdeurwaarder (Additional Court Bailiff); • Kandidaat gerechtsdeurwaarder (Junior Court Bailiff); • Zeevarende (Seafarer); • (Hoofd)bewaarder ((Head) Registrar); • Gemandateerd bewaarder Mandated Registrar; • Technisch Medewerker schepen (Ships Technician); • Inspecteur Scheepsregistraties (Ship Registration Inspector); • Belastingdeurwaarder (Government-appointed Tax Bailiff); • Rijksdeurwaarder (Government Bailiff); • Gemeentelijk Belastingdeurwaarder (Municipal Tax Bailiff), and • have been validated to be allowed to practice said profession through <ul style="list-style-type: none"> • a trustworthy document (e.g. licence card, certificate, diploma), or • against a register of a relevant regulatory body.
--------------------	--

Comment	<p>The EU Regulated Professions Database can be found at this URL: https://ec.europa.eu/growth/tools-databases/regprof/index.cfm?action=regprofs</p> <p>The limitative list in this requirement will be adopted in a future iteration of the EU Regulated Professions Database. After this adoption the list will be removed from this requirement.</p>
----------------	---

- Page: 3.2.5-pkio29 —

Description	<p>In terms of organization-linked certificate holders, the TSP has to check that:</p> <ul style="list-style-type: none"> • the proof that the certificate holder, authorized to receive a certificate on behalf of the subscriber, is authentic; • the name and identity markers mentioned in this proof correspond with the certificate holder's identity established under 3.2.3-pkio21. <p>In terms of profession-linked certificate holders, the TSP has to check that:</p> <ul style="list-style-type: none"> • the proof, that the certificate holder is authorised to practise the recognized profession, is authentic; • the name and identity markers mentioned in this proof correspond with the certificate holder's identity established under 3.2.3-pkio21.
Comment	<p>Only considered to be authentic proof for practising a recognized profession is:</p> <ol style="list-style-type: none"> a. either a valid proof of registration in a (professional) register recognized by the relevant professional group, to which disciplinary rules stipulated by law apply; b. or an appointment by a Minister; c. or valid proof (e.g. a permit) that the legal requirements in relation to practising a profession, are fulfilled. d. or an appointment by a municipal official or mayor (only in case of municipal tax bailiff). <p>Understood to be meant by valid proof is proof that has not expired or that has not (temporarily or provisionally) been revoked.</p> <p>PoR requirement 3.2.5-pkio160 contains a limitative list of the professions referred to under a, b, and c.</p> <p>In the reference matrix in appendix B there is a reference to all requirements that relate to paragraph 3.2.3.</p>

- Page: 3.2.5-pkio32 —

Description	<p>Subscriber is a legal personality (organization-linked certificates):</p> <p>The agreement that the TSP enters into with the subscriber has to state that the subscriber is responsible for immediately informing the TSP of any relevant changes that have been made to the relationship between the subscriber and the certificate holder, by means of a revocation request. Relevant changes can, in this respect, for instance be termination of employment and suspension.</p> <p>Subscriber is a natural person (occupation-linked certificates):</p> <p>The agreement that the TSP enters into with the subscriber has to state that the subscriber is responsible for immediately informing the TSP of any relevant changes that have been made by means of a revocation request. A relevant change in this respect is, in any case, no longer having legal proof as outlined in 3.2.5-pkio29.</p>
Comment	-

3.2.6 Criteria for interoperation

Refer to Programme of Requirements part 3 Basic Requirements.

3.3 Identification and authentication for re-key requests

Refer to Programme of Requirements part 3 Basic Requirements.

3.3.1 Identification and authentication for routine re-key

Refer to Programme of Requirements part 3 Basic Requirements.

3.3.2 Identification and authentication for re-key after revocation

Refer to Programme of Requirements part 3 Basic Requirements.

3.4 Identification and authentication for revocation request

Refer to Programme of Requirements part 3 Basic Requirements.

4. CERTIFICATE LIFE-CYCLE OPERATIONAL REQUIREMENTS

Refer to Programme of Requirements part 3 Basic Requirements.

4.1 Certificate Application

Refer to Programme of Requirements part 3 Basic Requirements.

4.1.1 *Who can submit a certificate application*

Refer to Programme of Requirements part 3 Basic Requirements.

4.1.2 *Enrollment process and responsibilities*

Refer to Programme of Requirements part 3 Basic Requirements.

4.2 Certificate application processing

Refer to Programme of Requirements part 3 Basic Requirements.

4.2.1 *Performing identification and authentication functions*

Refer to Programme of Requirements part 3 Basic Requirements.

4.2.2 *Approval or rejection of certificate applications*

Refer to Programme of Requirements part 3 Basic Requirements.

4.2.3 *Time to process certificate applications*

Refer to Programme of Requirements part 3 Basic Requirements.

4.3 Certificate issuance

Refer to Programme of Requirements part 3 Basic Requirements.

4.3.1 *CA actions during certificate issuance*

Refer to Programme of Requirements part 3 Basic Requirements.

4.3.2 *Notification to subscriber by the CA of issuance of Certificate*

Refer to Programme of Requirements part 3 Basic Requirements.

4.4 Certificate acceptance

Refer to Programme of Requirements part 3 Basic Requirements.

4.4.1 *Conduct constituting certificate acceptance*

Refer to Programme of Requirements part 3 Basic Requirements.

4.4.2 *Publication of the certificate by the CA*

Refer to Programme of Requirements part 3 Basic Requirements.

4.4.3 *Notification of certificate issuance by the CA to other Entities*

Refer to Programme of Requirements part 3 Basic Requirements.

4.5 Key pair and certificate usage

Refer to Programme of Requirements part 3 Basic Requirements.

4.5.1 Subscriber private key and certificate usage

Refer to Programme of Requirements part 3 Basic Requirements.

4.5.2 Relying party public key and certificate usage

Refer to Programme of Requirements part 3 Basic Requirements.

4.6 Certificate renewal

Refer to Programme of Requirements part 3 Basic Requirements.

4.6.1 Circumstance for certificate renewal

Refer to Programme of Requirements part 3 Basic Requirements.

4.6.2 Who may request renewal

Refer to Programme of Requirements part 3 Basic Requirements.

4.6.3 Processing certificate renewal requests

Refer to Programme of Requirements part 3 Basic Requirements.

4.6.4 Notification of new certificate issuance to subscriber

Refer to Programme of Requirements part 3 Basic Requirements.

4.6.5 Conduct constituting acceptance of a renewal certificate

Refer to Programme of Requirements part 3 Basic Requirements.

4.6.6 Publication of the renewal certificate by the CA

Refer to Programme of Requirements part 3 Basic Requirements.

4.6.7 Notification of certificate issuance by the CA to other entities

Refer to Programme of Requirements part 3 Basic Requirements.

4.7 Certificate re-key

Refer to Programme of Requirements part 3 Basic Requirements.

4.7.1 Circumstance for certificate re-key

Refer to Programme of Requirements part 3 Basic Requirements.

4.7.2 Who may request certification of a new public key

Refer to Programme of Requirements part 3 Basic Requirements.

4.7.3 Processing certificate re-keying requests

Refer to Programme of Requirements part 3 Basic Requirements.

4.7.4 Notification of new certificate issuance to subscriber

Refer to Programme of Requirements part 3 Basic Requirements.

4.7.5 Conduct constituting acceptance of a re-keyed certificate

Refer to Programme of Requirements part 3 Basic Requirements.

4.7.6 Publication of the re-keyed certificate by the CA

Refer to Programme of Requirements part 3 Basic Requirements.

4.7.7 Notification of certificate issuance by the CA to other entities

Refer to Programme of Requirements part 3 Basic Requirements.

4.8 Certificate modification

Refer to Programme of Requirements part 3 Basic Requirements.

4.8.1 Circumstance for certificate modification

Refer to Programme of Requirements part 3 Basic Requirements.

4.8.2 Who may request certificate modification

Refer to Programme of Requirements part 3 Basic Requirements.

4.8.3 Processing certificate modification requests

Refer to Programme of Requirements part 3 Basic Requirements.

4.8.4 Notification of new certificate issuance to subscriber

Refer to Programme of Requirements part 3 Basic Requirements.

4.8.5 Conduct constituting acceptance of modified certificate

Refer to Programme of Requirements part 3 Basic Requirements.

4.8.6 Publication of the modified certificate by the CA

Refer to Programme of Requirements part 3 Basic Requirements.

4.8.7 Notification of certificate issuance by the CA to other entities

Refer to Programme of Requirements part 3 Basic Requirements.

4.9 Certificate revocation and suspension

Refer to Programme of Requirements part 3 Basic Requirements.

4.9.1 Circumstances for revocation

Refer to Programme of Requirements part 3 Basic Requirements.

Additional requirements:

- Page:
4.9.1-pkio192 —

Description	<p>Certificates will be revoked when:</p> <ul style="list-style-type: none"> • the subscriber indicates that the original request for a certificate was not allowed and the subscriber does not grant permission retroactively; • the TSP has sufficient evidence that the subscriber's private key (associated with the corresponding certificate) has been compromised or there is a suspicion of compromise, inherent security weakness, or that the certificate has been misused in another way . A key is considered compromised in the event of unauthorized access or suspected unauthorized access to the private key, lost or presumably lost private key, SSCD, SUD or QSCD, stolen or presumably stolen key, SSCD, SUD or QSCD or destroyed key, SSCD, SUD or QSCD if applicable; • a subscriber does not fulfill his obligations as set out in this CP or the corresponding CPS of the TSP or the agreement that the TSP has with the subscriber; • the TSP is informed or otherwise becomes aware of a material change in the information contained in the certificate. An example of this is: change of the name of the certificate holder (service); • the TSP determines that the certificate has not been issued in accordance with this CP or the associated CPS of the TSP or the agreement that the TSP has with the subscriber; • the TSP determines that information in the certificate is incorrect or misleading; • the TSP ceases its activities and the CRL and OCSP services are not continued by another TSP; • the PA of PKIoverheid determines that the technical content of the certificate entails an irresponsible risk for subscribers, relying parties and third parties (e.g. browser parties); • one of the events occurs, as described in chapter 6.2 of the Mozilla Root Store Policy³.
Comment	-

4.9.2 Who can request revocation

Refer to Programme of Requirements part 3 Basic Requirements.

4.9.3 Procedure for revocation request

Refer to Programme of Requirements part 3 Basic Requirements.

Additional requirements:

- Page: 4.9.3-pkio57 —

Description	In any case, the TSP has to use a CRL to make the certificate status information available.
Comment	-

³ <https://www.mozilla.org/en-US/about/governance/policies/security-group/certs/policy/>

4.9.4 Revocation request grace period

Refer to Programme of Requirements part 3 Basic Requirements.

4.9.5 Time within which CA must process the revocation request

Refer to Programme of Requirements part 3 Basic Requirements.

4.9.6 Revocation checking requirement for relying parties

Refer to Programme of Requirements part 3 Basic Requirements.

4.9.7 CRL issuance frequency (if applicable)

Refer to Programme of Requirements part 3 Basic Requirements.

Additional requirements:

- Page:
4.9.7-pkio65 —

Description	The TSP has to update and reissue the CRL for end user certificates at least once every 7 calendar days and the date of the "Next update" field may not exceed the date of the "Effective date" field by 10 calendar days.
Comment	-

4.9.8 Maximum latency for CRLs (if applicable)

Refer to Programme of Requirements part 3 Basic Requirements.

4.9.9 On-line revocation/status checking availability

Refer to Programme of Requirements part 3 Basic Requirements.

Additional requirements:

- Page:
4.9.9-pkio66 —

Description	The revocation management services of the TSP can support the Online Certificate Status Protocol (OCSP) as an addition to the publication of CRL information. If this support is available, this has to be stated in the CPS.
Comment	<p>If OCSP is offered the following requirements are applicable:</p> <ul style="list-style-type: none"> • 1.1-pkio10 (basic requirement) • 9.5-pkio61 (basic requirement) • 9.9-pkio67 • 9.9-pkio68 • 9.5-pkio69 (basic requirement) • 9.9-pkio70 • 9.9-pkio71 • 10.2-pkio73 (basic requirement) <p>NB: (EV) server certificates MUST use OCSP services as stipulated in ETSI EN 319 411-1 and the Baseline Requirements.</p>

- Page:

4.9.9-pkio67 —

Description	If the TSP supports the Online Certificate Status Protocol (OCSP), this must conform to IETF RFC 6960.
Comment	-

- Page:

4.9.9-pkio68 —

Description	To detail the provisions of IETF RFC 6960, OCSP responses have to be signed digitally by either: <ul style="list-style-type: none"> • the private (CA) key with which the certificate is signed of which the status is requested, or; • a responder appointed by the TSP which holds an OCSP Signing certificate issued for this purpose by the TSP, or; • a responder that holds an OCSP Signing certificate that falls under the hierarchy of the PKI for the government.
Comment	-

- Page:

4.9.9-pkio70 —

Description	If the TSP supports OCSP, the information that is provided through OCSP has to be at least as equally up-to-date and reliable as the information that is published by means of a CRL, during the validity of the certificate that is issued and furthermore up to at least six months after the time at which the validity of the certificate has expired or, if that time is earlier, after the time at which the validity is ended by revocation.
Comment	-

- Page:

4.9.9-pkio71 —

Description	If the TSP supports OCSP, the TSP has to update the OCSP service at least once every 4 calendar days. The maximum expiry term of the OCSP responses is 10 calendar days. In addition OCSP responses must contain the "nextUpdate" field in conformance to RFC6960.
Comment	-

4.9.10 On-line revocation checking requirements

Refer to Programme of Requirements part 3 Basic Requirements.

4.9.11 Other forms of revocation advertisements available

Refer to Programme of Requirements part 3 Basic Requirements.

4.9.12 Special requirements related to key compromise

Refer to Programme of Requirements part 3 Basic Requirements.

4.9.13 Circumstances for suspension

Refer to Programme of Requirements part 3 Basic Requirements.

4.9.14 Who can request suspension

Refer to Programme of Requirements part 3 Basic Requirements.

4.9.15 Procedure for suspension request

Refer to Programme of Requirements part 3 Basic Requirements.

4.9.16 Limits on suspension period

Refer to Programme of Requirements part 3 Basic Requirements.

4.10 Certificate status services

Refer to Programme of Requirements part 3 Basic Requirements.

4.10.1 Operational characteristics

Refer to Programme of Requirements part 3 Basic Requirements.

4.10.2 Service availability

Refer to Programme of Requirements part 3 Basic Requirements.

4.10.3 Optional features

Refer to Programme of Requirements part 3 Basic Requirements.

4.11 End of subscription

Refer to Programme of Requirements part 3 Basic Requirements.

4.12 Key escrow and recovery

Refer to Programme of Requirements part 3 Basic Requirements.

4.12.1 Key escrow and recovery policy and practices

Refer to Programme of Requirements part 3 Basic Requirements.

4.12.2 Session key encapsulation and recovery policy and practices

Refer to Programme of Requirements part 3 Basic Requirements.

5. FACILITY, MANAGEMENT, AND OPERATIONAL CONTROLS

Refer to Programme of Requirements part 3 Basic Requirements.

5.1 Physical controls

Refer to Programme of Requirements part 3 Basic Requirements.

5.1.1 *Site location and construction*

Refer to Programme of Requirements part 3 Basic Requirements.

5.1.2 *Physical access*

Refer to Programme of Requirements part 3 Basic Requirements.

5.1.3 *Power and air conditioning*

Refer to Programme of Requirements part 3 Basic Requirements.

5.1.4 *Water exposures*

Refer to Programme of Requirements part 3 Basic Requirements.

5.1.5 *Fire prevention and protection*

Refer to Programme of Requirements part 3 Basic Requirements.

5.1.6 *Media storage*

Refer to Programme of Requirements part 3 Basic Requirements.

5.1.7 *Waste disposal*

Refer to Programme of Requirements part 3 Basic Requirements.

5.1.8 *Off-site backup*

Refer to Programme of Requirements part 3 Basic Requirements.

5.2 Procedural controls

Refer to Programme of Requirements part 3 Basic Requirements.

5.2.1 *Trusted roles*

Refer to Programme of Requirements part 3 Basic Requirements.

5.2.2 *Number of persons required per task*

Refer to Programme of Requirements part 3 Basic Requirements.

5.2.3 *Identification and authentication for each role*

Refer to Programme of Requirements part 3 Basic Requirements.

5.2.4 *Roles requiring separation of duties*

Refer to Programme of Requirements part 3 Basic Requirements.

5.3 Personnel controls

Refer to Programme of Requirements part 3 Basic Requirements.

5.3.1 Qualifications, experience, and clearance requirements

Refer to Programme of Requirements part 3 Basic Requirements.

5.3.2 Background check procedures

Refer to Programme of Requirements part 3 Basic Requirements.

5.3.3 Training requirements

Refer to Programme of Requirements part 3 Basic Requirements.

5.3.4 Retraining frequency and requirements

Refer to Programme of Requirements part 3 Basic Requirements.

5.3.5 Job rotation frequency and sequence

Refer to Programme of Requirements part 3 Basic Requirements.

5.3.6 Sanctions for unauthorized actions

Refer to Programme of Requirements part 3 Basic Requirements.

5.3.7 Independent contractor requirements

Refer to Programme of Requirements part 3 Basic Requirements.

5.3.8 Documentation supplied to personnel

Refer to Programme of Requirements part 3 Basic Requirements.

5.4 Audit logging procedures

Refer to Programme of Requirements part 3 Basic Requirements.

5.4.1 Types of events recorded

Refer to Programme of Requirements part 3 Basic Requirements.

Additional requirements:

- Page:
5.4.1-pkio80 —

Description	<p>Logging has to take place on at least:</p> <ul style="list-style-type: none"> • Routers, firewalls and network system components; • Database activities and events; • Transactions; • Operating systems; • Access control systems; • Mail servers. <p>At the very least, the TSP has to log the following events:</p> <ul style="list-style-type: none"> • CA key life cycle management; • Certificate life cycle management; • Threats and risks such as: <ul style="list-style-type: none"> • Successful and unsuccessful attacks on the PKI system; • Activities of staff on the PKI system; • Reading, writing and deleting data; • Profile changes (Access Management); • System failure, hardware failure and other abnormalities; • Firewall and router activities; • Entering and leaving the CA space. <p>At the very least, the log files have to register the following:</p> <ul style="list-style-type: none"> • Source addresses (IP addresses if available); • Destination addresses (IP addresses if available); • Time and date; • User IDs (if available); • Name of the incident; • Description of the incident.
Comment	Based on a risk analysis the TSP determines which data it should save.

5.4.2 Frequency of processing log

Refer to Programme of Requirements part 3 Basic Requirements.

5.4.3 Retention period for audit log

Refer to Programme of Requirements part 3 Basic Requirements.

5.4.4 Protection of audit log

Refer to Programme of Requirements part 3 Basic Requirements.

5.4.5 Audit log backup procedures

Refer to Programme of Requirements part 3 Basic Requirements.

5.4.6 Audit collection system (internal vs. external)

Refer to Programme of Requirements part 3 Basic Requirements.

5.4.7 Notification to event-causing subject

Refer to Programme of Requirements part 3 Basic Requirements.

5.4.8 Vulnerability assessments

Refer to Programme of Requirements part 3 Basic Requirements.

5.5 Records archival

Refer to Programme of Requirements part 3 Basic Requirements.

5.5.1 Types of records archived

Refer to Programme of Requirements part 3 Basic Requirements.

Additional requirements:

- Page:
5.5.1-pkio82 —

Description	The TSP MUST archive all information used to verify the identity of the subscriber, certificate manager and applicants of revocation requests. This information includes reference numbers of the documentation used for verification, including limitations concerning the validity.
Comment	-

5.5.2 Retention period for archive

Refer to Programme of Requirements part 3 Basic Requirements.

5.5.3 Protection of archive

Refer to Programme of Requirements part 3 Basic Requirements.

5.5.4 Archive backup procedures

Refer to Programme of Requirements part 3 Basic Requirements.

5.5.5 Requirements for time-stamping of records

Refer to Programme of Requirements part 3 Basic Requirements.

5.5.6 Archive collection system (internal or external)

Refer to Programme of Requirements part 3 Basic Requirements.

5.5.7 Procedures to obtain and verify archive information

Refer to Programme of Requirements part 3 Basic Requirements.

5.6 Key changeover

Refer to Programme of Requirements part 3 Basic Requirements.

5.7 Compromise and disaster recovery

Refer to Programme of Requirements part 3 Basic Requirements.

5.7.1 Incident and compromise handling procedures

Refer to Programme of Requirements part 3 Basic Requirements.

5.7.2 Computing resources, software, and_or data are corrupted

Refer to Programme of Requirements part 3 Basic Requirements.

5.7.3 Entity private key compromise procedures

Refer to Programme of Requirements part 3 Basic Requirements.

5.7.4 Business continuity capabilities after a disaster

Refer to Programme of Requirements part 3 Basic Requirements.

Additional requirements:

- Page:
5.7.4-pkio86 —

Description	<p>The TSP has to draw up a business continuity plan (BCP) for, at the very least, the core services dissemination service, revocation management service and revocation status service, the aim being, in the event of a security breach or emergency, to inform, reasonably protect and to continue the TSP services for subscribers, relying parties and third parties (including browser parties). The TSP has to test, assess and update the BCP annually. At the very least, the BCP has to describe the following processes:</p> <ul style="list-style-type: none"> • Requirements relating to entry into force; • Emergency procedure/fall-back procedure; • Requirements relating to restarting TSP services; • Maintenance schedule and test plan that cover the annual testing, assessment and update of the BCP; • Provisions in respect of highlighting the importance of business continuity; • Tasks, responsibilities and competences of the involved agents; • Intended Recovery Time or Recovery Time Objective (RTO); • Recording the frequency of back-ups of critical business information and software; • Recording the distance of the fall-back facility to the TSP's main site; and • Recording the procedures for securing the facility during the period following a security breach or emergency and for the organization of a secure environment at the main site or fall-back facility.
Comment	-

5.8 CA or RA termination

Refer to Programme of Requirements part 3 Basic Requirements.

6. TECHNICAL SECURITY CONTROLS

Refer to Programme of Requirements part 3 Basic Requirements.

6.1 Key pair generation and installation

Refer to Programme of Requirements part 3 Basic Requirements.

6.1.1 Key pair generation

Refer to Programme of Requirements part 3 Basic Requirements.

Additional requirements:

- Page:
6.1.1-pkio88 —

Description	The keys of certificate holders (or data for creating electronic signatures) have to be generated using a device that fulfils the requirements mentioned in EN 419 211 for QSCD's or CWA 14169 for SSCD's (transitional permission regime) "Secure signature-creation devices "EAL 4+" or comparable security criteria.
Comment	-

- Page:
6.1.1-pkio89 —

Description	The algorithm and length of the cryptographic keys that the TSP uses to generate the keys of certificate holders must meet the requirements set in the list of cryptographic algorithms and key lengths, as defined in ETSI TS 119 312. In addition, the TSP must also follow the requirements described in Chapters 5.1 and 5.1.1 of the most current Mozilla Root Store Policy. The use of RSA-PSS is permitted, but is not recommended.
Comment	Although ETSI TS 119 312 outlines the recommended algorithms and key lengths, these are compulsory within the PKI for the government. Requests relating to the use of other algorithms have to be submitted, along with the reasoning behind this, to the PA of the PKI for the government.

6.1.2 Private key delivery to subscriber

Refer to Programme of Requirements part 3 Basic Requirements.

Additional requirements:

- Page:
6.1.2-pkio94 —

Description	<p>[OID 2.16.528.1.1003.1.2.2.2 and 2.16.528.1.1003.1.2.5.2], [OID 2.16.528.1.1003.1.2.2.1 and 2.16.528.1.1003.1.2.5.1] and [OID 2.16.528.1.1003.1.2.3.2 and 2.16.528.1.1003.1.2.3.1].</p> <p>The certificate holder's private key has to be delivered to the certificate holder, if required through the subscriber, in a manner such that the secrecy and the integrity of the key is not compromised and, once delivered to the certificate holder, the private key can be maintained under the certificate holder's sole control.</p>
Comment	<p>This text corresponds with ETSI EN 319 411-1 SDP 6.3.3-09, but has been integrated because this requirement only applies to signature and authenticity certificates.</p>

6.1.3 Public key delivery to certificate issuer

Refer to Programme of Requirements part 3 Basic Requirements.

6.1.4 CA public key delivery to relying parties

Refer to Programme of Requirements part 3 Basic Requirements.

6.1.5 Key sizes

Refer to Programme of Requirements part 3 Basic Requirements.

6.1.6 Public key parameters generation and quality checking

Refer to Programme of Requirements part 3 Basic Requirements.

6.1.7 Key usage purposes (as per X.509 v3 key usage field)

Refer to Programme of Requirements part 3 Basic Requirements.

6.2 Private Key Protection and Cryptographic Module Engineering Controls

Refer to Programme of Requirements part 3 Basic Requirements.

6.2.1 Cryptographic module standards and controls

Refer to Programme of Requirements part 3 Basic Requirements.

6.2.2 Private key (n out of m) multi-person control

Refer to Programme of Requirements part 3 Basic Requirements.

6.2.3 Private key escrow

Refer to Programme of Requirements part 3 Basic Requirements.

Additional requirements:

- Page:
6.2.3-pkio100 —

Description	The TSP has to describe in the CPS which parties can have access to the private key of the confidentiality certificate held in Escrow and under which conditions.
Comment	-

- Page:
6.2.3-pkio99 —

Description	The authorized persons who can gain access to the private key of the confidentiality certificate held in Escrow by the TSP (if applicable), have to identify themselves using the valid documents listed in article 1 of the Compulsory Identification Act (Wet op de identificatieplicht), or a valid qualified certificate (limited to a PKIoverheid signature certificate or equivalent).
Comment	-

6.2.4 Private key backup

Refer to Programme of Requirements part 3 Basic Requirements.

6.2.5 Private key archival

Refer to Programme of Requirements part 3 Basic Requirements.

6.2.6 Private key transfer into or from a cryptographic module

Refer to Programme of Requirements part 3 Basic Requirements.

6.2.7 Private key storage on cryptographic module

Refer to Programme of Requirements part 3 Basic Requirements.

6.2.8 Method of activating private key

Refer to Programme of Requirements part 3 Basic Requirements.

6.2.9 Method of deactivating private key

Refer to Programme of Requirements part 3 Basic Requirements.

6.2.10 Method of destroying private key

Refer to Programme of Requirements part 3 Basic Requirements.

6.2.11 Cryptographic Module Rating

Refer to Programme of Requirements part 3 Basic Requirements.

Additional requirements:

- Page:
6.2.11-pkio104 —

Description	Secure devices issued or recommended by the TSP for creating electronic signatures (SSCDs or QSCDs) have to fulfil the requirements laid down in document CWA 14169 "Secure signature-creation devices or EN 419 211 for Qualified signature-creation devices "EAL 4+"" and the requirements outlined in or pursuant to the Electronic Signatures Decree article 5, parts a, b, c and d.
Comment	The use of different types of secure devices, such as a smartcard or a USB key, is allowed. The condition is that the SSCD or QSCD meets the substantive requirements as specified in 6.2.11-pkio104, 6.2.11-pkio105 and 6.2.11-pkio106.

- Page:
6.2.11-pkio105 —

Description	Instead of demonstrating compliance with CWA 14169 (for SSCD's or SUD's) or EN 419 211 (for QSCD's), TSPs can issue or recommend SSCDs, SUDs or QSCDs that are certified in line with a different protection profile against the Common Criteria (ISO/IEC 15408) at level EAL4+ or that have a comparable security level. This has to be established by a test laboratory that is accredited for performing Common Criteria evaluations.
Comment	-

- Page:
6.2.11-pkio106 —

Description	The concurrence of SSCDs or QSCDs with the requirements outlined in PKIO requirement no. 6.2.11-pkio104 has to have been ratified by a government body appointed to inspect the secure devices, for the creation of electronic signatures in accordance with the Dutch Telecommunications Act (TW) article 18.17, third paragraph. In this respect, also see the Ruling on Electronic Signatures, articles 4 and 5.
Comment	-

6.3 Other aspects of key pair management

Refer to Programme of Requirements part 3 Basic Requirements.

6.3.1 Public key archival

Refer to Programme of Requirements part 3 Basic Requirements.

Additional requirements:

- Page:
6.3.1-pkio108 —

Description	[OID 2.16.528.1.1003.1.2.2.2, 2.16.528.1.1003.1.2.5.2 and 2.16.528.1.1003.1.2.3.2]
	The signature certificate has to be saved during the term of validity and furthermore during a period of at least seven years after the date on which the validity of the certificate expired.

Comment	The Electronic Signature Regulation article 2, paragraph 1i stipulates a term of seven years. No further provisions apply to the authenticity certificate and the confidentiality certificate in relation to archiving public keys.
----------------	---

6.3.2 Certificate operational periods and key pair usage periods

Refer to Programme of Requirements part 3 Basic Requirements.

Additional requirements:

- Page:
6.3.2-pkio109 —

Description	Private keys that are used by a certificate holder and issued under the responsibility of this CP must not be used for more than five years. The certificates, which are issued under the responsibility of this CP, must not be valid for more than five years.
Comment	-

6.4 Activation data

Refer to Programme of Requirements part 3 Basic Requirements.

6.4.1 Activation data generation and installation

Refer to Programme of Requirements part 3 Basic Requirements.

Additional requirements:

- Page:
6.4.1-pkio112 —

Description	The TSP attaches activation data to the use of a SUD, SSCD or QSCD, to protect the private keys of the certificate holders.
Comment	The requirements that the activation data (for example the PIN code) have to fulfil can be determined by the TSPs themselves based on, for example, a risk analysis. Requirements that could be considered are the length of the PIN code and use of special characters.

- Page:
6.4.1-pkio113 —

Description	An unlocking code can only be used if the TSP can guarantee that, at the very least, the security requirements are fulfilled that are laid down in respect of the use of the activation data.
Comment	-

6.4.2 Activation data protection

Refer to Programme of Requirements part 3 Basic Requirements.

6.4.3 Other aspects of activation data

Refer to Programme of Requirements part 3 Basic Requirements.

6.5 Computer security controls

Refer to Programme of Requirements part 3 Basic Requirements.

6.5.1 Specific computer security technical requirements

Refer to Programme of Requirements part 3 Basic Requirements.

6.5.2 Computer security rating

Refer to Programme of Requirements part 3 Basic Requirements.

6.6 Life cycle technical controls

Refer to Programme of Requirements part 3 Basic Requirements.

6.6.1 System development controls

Refer to Programme of Requirements part 3 Basic Requirements.

6.6.2 Security management controls

Refer to Programme of Requirements part 3 Basic Requirements.

6.6.3 Life cycle security controls

Refer to Programme of Requirements part 3 Basic Requirements.

6.7 Network security controls

Refer to Programme of Requirements part 3 Basic Requirements.

6.7.1 Network security controls (duplicate)

Refer to Programme of Requirements part 3 Basic Requirements.

6.8 Time-stamping

Refer to Programme of Requirements part 3 Basic Requirements.

7. CERTIFICATE, CRL, AND OCSP PROFILES

Refer to Programme of Requirements part 3 Basic Requirements.

7.1 Certificate profile

Refer to Programme of Requirements part 3 Basic Requirements.

Additional requirements:

- Page:
7.1-pkio149 —

Description	<p>The certificate extension Extended Key Usage MUST be present, MUST NOT be marked "critical", and MUST contain at least the following KeyPurposeIds:</p> <p>For an authenticity certificate: client Authentication =1.3.6.1.5.5.7.3.2 document Signing =1.3.6.1.4.1.311.10.3.12 emailProtection = 1.3.6.1.5.5.7.3.4</p> <p>For a signature certificate: document Signing =1.3.6.1.4.1.311.10.3.12 emailProtection = 1.3.6.1.5.5.7.3.4 (mandatory for G3, optional for G2)</p> <p>For an confidentiality certificate: emailProtection =1.3.6.1.5.5.7.3.4 Encrypting File System =1.3.6.1.4.1.311.10.3.4</p> <p>The KeyPurposeId id-kp-serverAuth MUST NOT be present and the KeyPurposeId id-kp-codeSigning MUST NOT be present.</p> <p>Specifically for G2 certificates any other KeyPurposeId defined in an open or accepted standard corresponding to the key usage as indicated by the KeyUsage extension MAY be present. In the G3 and following generations this extension MAY NOT be present.</p> <p>The above should take into account the EKUs included in the issuing TSP CA. If the issuing TSP CA is not provided with the mandatory EKUs stated above, these MAY NOT be included in the end-user certificate.</p>
Comment	-

- Page:
7.1-pkio173 —

Description	<p>The serial number of all end-user certificates must meet the following requirements:</p> <ol style="list-style-type: none"> a. The value of the serial number MUST NOT be 0 (zero); b. The value of the serial number MUST NOT be negative; c. The value of the serial number MUST be unique within the population of end-user certificates issued under an issuing TSP CA; d. The serial number MUST have a minimum length of 96 bits (12 octets); e. The value of the serial number MUST contain at least 64 bits of unpredictable random data; f. Said random data MUST be generated by a Cryptographically Secure Pseudorandom Number Generator (CSPRNG); g. The serial number MUST NOT be longer than 160 bits (20 octets).
Comment	-

7.1.1 Version number(s)

Refer to Programme of Requirements part 3 Basic Requirements.

7.1.2 Certificate extensions

Refer to Programme of Requirements part 3 Basic Requirements.

7.1.3 Algorithm object identifiers

Refer to Programme of Requirements part 3 Basic Requirements.

7.1.4 Name forms

Refer to Programme of Requirements part 3 Basic Requirements.

7.1.5 Name constraints

Refer to Programme of Requirements part 3 Basic Requirements.

7.1.6 Certificate policy object identifier

Refer to Programme of Requirements part 3 Basic Requirements.

7.1.7 Usage of Policy Constraints extension

Refer to Programme of Requirements part 3 Basic Requirements.

7.1.8 Policy qualifiers syntax and semantics

Refer to Programme of Requirements part 3 Basic Requirements.

7.1.9 Processing semantics for the critical Certificate Policies extension

Refer to Programme of Requirements part 3 Basic Requirements.

7.2 CRL profile

Refer to Programme of Requirements part 3 Basic Requirements.

7.2.1 Version number(s)

Refer to Programme of Requirements part 3 Basic Requirements.

7.2.2 CRL and CRL entry extensions

Refer to Programme of Requirements part 3 Basic Requirements.

7.3 OCSP profile

Refer to Programme of Requirements part 3 Basic Requirements.

Additional requirements:

- Page:
7.3-pkio123 —

Description	If the TSP supports the Online Certificate Status Protocol (OCSP), the TSP has to use OCSP certificates and responses in accordance with the requirements laid down in this respect in appendix A of the Basic Requirements, "CRL and OCSP certificate Profiles for certificate status information".
Comment	-

7.3.1 Version number(s)

Refer to Programme of Requirements part 3 Basic Requirements.

7.3.2 OCSP extensions

Refer to Programme of Requirements part 3 Basic Requirements.

8. COMPLIANCE AUDIT AND OTHER ASSESSMENTS

Refer to Programme of Requirements part 3 Basic Requirements.

8.1 Frequency or circumstances of assessment

Refer to Programme of Requirements part 3 Basic Requirements.

8.2 Identity/qualifications of assessor

Refer to Programme of Requirements part 3 Basic Requirements.

8.3 Assessors relationship to assessed entity

Refer to Programme of Requirements part 3 Basic Requirements.

8.4 Topics covered by assessment

Refer to Programme of Requirements part 3 Basic Requirements.

Additional requirements:

- Page:
8.4-pkio194 —

Description	In addition to this PoR, issuing certificates SHALL undergo an audit in accordance with the following schemes: <ul style="list-style-type: none"> a. ETSI EN 319 411-1 with policy NCP+ (ETSI CP OID 0.4.0.2042.1.2, mandating usage of SSCDs) for authenticity and confidentiality certificates, and b. ETSI EN 319 411-2 with policy QCP-n-qscd (ETSI CP OID 0.4.0.194112.1.2, mandating usage of SSCDs) for non-repudiation certificates (eIDAS eSignatures), and c. CA/Browser Forum Network and Certificate System Security Requirements.
Comment	-

- Page:
8.4-pkio200 —

Description	If the TSP issues or intends to issue qualified certificates under PKIoverheid, the following additional requirements SHALL apply: <ul style="list-style-type: none"> a. the audit report states that the TSP meets the eIDAS (910/2014) regulation requirements, and b. the issuing certificate with which the TSP wants to issue qualified certificates is on the Trusted Services List (TSL) of Agentschap Telecom (AT).
Comment	-

8.5 Actions taken as a result of deficiency

Refer to Programme of Requirements part 3 Basic Requirements.

8.6 Communication of results

Refer to Programme of Requirements part 3 Basic Requirements.

9. OTHER BUSINESS AND LEGAL MATTERS

Refer to Programme of Requirements part 3 Basic Requirements.

9.1 Fees

Refer to Programme of Requirements part 3 Basic Requirements.

9.1.1 Certificate issuance or renewal fees

Refer to Programme of Requirements part 3 Basic Requirements.

9.1.2 Certificate access fees

Refer to Programme of Requirements part 3 Basic Requirements.

9.1.3 Revocation or status information access fees

Refer to Programme of Requirements part 3 Basic Requirements.

9.1.4 Fees for other services

Refer to Programme of Requirements part 3 Basic Requirements.

9.1.5 Refund policy

Refer to Programme of Requirements part 3 Basic Requirements.

9.2 Financial responsibility

Refer to Programme of Requirements part 3 Basic Requirements.

Additional requirements:

- Page:
9.2-pkio124 —

Description	By means, for example, of insurance or its financial position, the TSP has to be able to cover third party recovery based on the types of liability mentioned in article 6:196b of the Civil Code (that relate to both direct and indirect damage) up to at least EUR 1,000,000 per annum.
Comment	The third party recovery described above is based on a maximum number of certificates to be issued of 100,000 for each TSP, which is in line with the current situation. When TSPs are going to issue more certificates, it will be determined whether a suitable, higher, recoverableness will be required.

9.2.1 Insurance coverage

Refer to Programme of Requirements part 3 Basic Requirements.

9.2.2 Other assets

Refer to Programme of Requirements part 3 Basic Requirements.

9.2.3 Insurance or warranty coverage for end-entities

Refer to Programme of Requirements part 3 Basic Requirements.

9.3 Confidentiality of business information

Refer to Programme of Requirements part 3 Basic Requirements.

9.3.1 Scope of confidential information

Refer to Programme of Requirements part 3 Basic Requirements.

9.3.2 Information not within the scope of confidential information

Refer to Programme of Requirements part 3 Basic Requirements.

9.3.3 Responsibility to protect confidential information

Refer to Programme of Requirements part 3 Basic Requirements.

9.4 Privacy of personal information

Refer to Programme of Requirements part 3 Basic Requirements.

9.4.1 Privacy plan

Refer to Programme of Requirements part 3 Basic Requirements.

9.4.2 Information treated as private

Refer to Programme of Requirements part 3 Basic Requirements.

9.4.3 Information not deemed private

Refer to Programme of Requirements part 3 Basic Requirements.

9.4.4 Responsibility to protect private information

Refer to Programme of Requirements part 3 Basic Requirements.

9.4.5 Notice and consent to use private information

Refer to Programme of Requirements part 3 Basic Requirements.

9.4.6 Disclosure pursuant to judicial or administrative process

Refer to Programme of Requirements part 3 Basic Requirements.

9.4.7 Other information disclosure circumstances

Refer to Programme of Requirements part 3 Basic Requirements.

9.5 Intellectual property rights

Refer to Programme of Requirements part 3 Basic Requirements.

9.6 Representations and warranties

Refer to Programme of Requirements part 3 Basic Requirements.

9.6.1 CA representations and warranties

Refer to Programme of Requirements part 3 Basic Requirements.

Additional requirements:

- Page:
9.6.1-pkio131 —

Description	The TSP can include in a non-repudiation certificate restrictions with regard to the use of the certificate, provided that the restrictions are clear to third parties. The TSP is not liable for losses that results from the use of a signature certificate that is contrary to the provisions in accordance with the previous sentence listed therein.
Comment	This article is based on Civil Code art. 196b, paragraph 3

- Page:
9.6.1-pkio132 —

Description	The TSP excludes all liability for damages if the certificate is not used in accordance with the certificate use described in paragraph 1.4.
Comment	-

9.6.2 RA representations and warranties

Refer to Programme of Requirements part 3 Basic Requirements.

9.6.3 Subscriber representations and warranties

Refer to Programme of Requirements part 3 Basic Requirements.

9.6.4 Relying party representations and warranties

Refer to Programme of Requirements part 3 Basic Requirements.

9.6.5 Representations and warranties of other participants

Refer to Programme of Requirements part 3 Basic Requirements.

9.7 Disclaimers of warranties

Refer to Programme of Requirements part 3 Basic Requirements.

9.8 Limitations of liability

Refer to Programme of Requirements part 3 Basic Requirements.

Additional requirements:

- Page:
9.8-pkio133 —

Description	Within the scope of certificates as mentioned in paragraph 1.4 in this CP the TSP is not allowed to place restrictions on the use of certificates.
Comment	-

9.9 Indemnities

Refer to Programme of Requirements part 3 Basic Requirements.

9.10 Term and termination

Refer to Programme of Requirements part 3 Basic Requirements.

9.10.1 Term

Refer to Programme of Requirements part 3 Basic Requirements.

9.10.2 Termination

Refer to Programme of Requirements part 3 Basic Requirements.

9.10.3 Effect of termination and survival

Refer to Programme of Requirements part 3 Basic Requirements.

9.11 Individual notices and communications with participants

Refer to Programme of Requirements part 3 Basic Requirements.

9.12 Amendments

Refer to Programme of Requirements part 3 Basic Requirements.

9.12.1 Procedure for amendment

Refer to Programme of Requirements part 3 Basic Requirements.

9.12.2 Notification mechanism and period

Refer to Programme of Requirements part 3 Basic Requirements.

9.12.3 Circumstances under which OID must be changed

Refer to Programme of Requirements part 3 Basic Requirements.

9.13 Dispute resolution provisions

Refer to Programme of Requirements part 3 Basic Requirements.

9.14 Governing law

Refer to Programme of Requirements part 3 Basic Requirements.

9.15 Compliance with applicable law

Refer to Programme of Requirements part 3 Basic Requirements.

9.16 Miscellaneous provisions

Refer to Programme of Requirements part 3 Basic Requirements.

9.16.1 Entire agreement

Refer to Programme of Requirements part 3 Basic Requirements.

9.16.2 Assignment

Refer to Programme of Requirements part 3 Basic Requirements.

9.16.3 Severability

Refer to Programme of Requirements part 3 Basic Requirements.

9.16.4 Enforcement (attorneys' fees and waiver of rights)

Refer to Programme of Requirements part 3 Basic Requirements.

9.16.5 Force Majeure

Refer to Programme of Requirements part 3 Basic Requirements.

9.17 Other provisions

Refer to Programme of Requirements part 3 Basic Requirements.

Appendix A: Certificate Attributes

Profile of the certificate for the Organization and Organization Person domains.

Criteria

When defining the fields and attributes within a certificate, the following codes are used:

- V : Compulsory; indicates that the attribute is compulsory and MUST be used in the certificate.
- O : Optional; indicates that the attribute is optional and MAY be used in the certificate.
- A : Advised against; indicates that the attribute is advised against and SHOULD NOT be used in the certificate.
- N: Is NOT ALLOWED.

It is not allowed to use fields that are not specified in the certificate profiles.

For the extensions, fields/attributes are used that, in accordance with international standards, are critical, are marked in the 'Critical' column with 'yes' to show that the relevant attribute MUST be checked using a process by means of which a certificate is evaluated. Other fields/attributes are shown with 'no'.

Personal certificates

Basic attributes

Field / Attribute	Criteria	Description	Standard reference	Type	Explanation
Version	V	MUST be set at 2 (X.509v3).	RFC 5280	Integer	Describes the version of the certificate, the value 2 stands for X.509 version 3.
SerialNumber	V	A serial number that MUST uniquely identify the certificate within the publishing CA domain.	RFC 5280	Integer	All end user certificates have to contain at least 8 bytes of unpredictable random data in the certificate's serial number (SerialNumber).
Signature	V	MUST be set on the algorithm, as stipulated by the PA.	RFC 5280, ETSI TS 102176	OID	MUST be the same as the field signatureAlgorithm. For certificates under the G2 and G3 root certificate, only sha-256WithRSAEncryption is allowed.
Issuer	V	MUST contain a Distinguished Name (DN). The field has the following attributes	PKIo, RFC3739, ETSI TS 102280		Attributes other than those mentioned below MUST NOT be used.
Issuer.countryName	V	See requirement 7.1-pkio174	ETSI TS101862, X520, ISO 3166	Printable String	
Issuer.OrganizationName	V	See requirement 7.1-pkio174	ETSI TS 102280	UTF8String	
Issuer. organizationalUnitName	O	See requirement 7.1-pkio174	ETSI TS 102280: 5.2.4	UTF8String	

Field / Attribute	Criteria	Description	Standard reference	Type	Explanation
Issuer.serialNumber	O	See requirement 7.1-pkio174	RFC 3739	Printable String	
Issuer.commonName	V	See requirement 7.1-pkio174	PKIo, RFC 3739	UTF8String	The commonName attribute MUST NOT be necessary in order to identify the issuing government body (no part of the Distinguished Name, requirement from RFC 3739)
Issuer.organizationIdentifier	V/N	The organizationIdentifier field contains an identification of the issuing CA. This field MUST be present when the organizationIdentifier is present in the TSP certificate and MUST NOT be present when the organizationIdentifier is present in the TSP certificate.	EN 319 412-1	String	The syntax of the identification string is specified in paragraph 5.1.4 van ETSI EN 319 412-1 and contains: <ul style="list-style-type: none"> • 3 character legal person identity type reference; • 2 character ISO 3166 [2] country code; • hyphen-minus "-" (0x2D (ASCII), U+002D (UTF-8)); and • identifier (according to country and identity type reference).
Validity	V	MUST define the period of validity of the certificate according to RFC 5280.	RFC 5280	UTCTime	MUST include the start and end date for validity of the certificate in accordance with the applicable policy laid down in the CPS.
subject	V	The attributes that are used to describe the subject (end user) MUST mention the subject in a unique manner and include information about the subscriber. The field has the following attributes	PKIo, RFC3739, ETSI TS 102 280		MUST contain a Distinguished Name (DN). Attributes other than those mentioned below MUST NOT be used.
Subject.countryName	V	complete C with two-letter country code in accordance with ISO 3166-1. If an official alpha-2 code is missing, the TSP MAY use the user-assigned code XX.	RFC 3739, X520, ISO 3166, PKIo	Printable String	The country code that is used in Subject.countryName MUST correspond with the subscriber's address in accordance with the accepted document or registry.

Field / Attribute	Criteria	Description	Standard reference	Type	Explanation
Subject.commonName	V	The commonName attribute MUST be entered in accordance with the paragraph <i>Naming convention Subject.commonName</i> above.	RFC 3739, ETSI TS 102 280, PKIo	UTF8String	See the naming convention of Subject.commonName.
Subject.Surname	V	A correct reproduction of the element of the name laid down in the CN. Based on the Compulsory Identification Act document.	RFC 3739	UTF8String	This field MUST show the subject's surname including surname prefixes correctly, as shown on the Compulsory Identification Act document.
Subject.givenName	V/O	A correct reproduction of the element of the name laid down in the CN. Based on the Compulsory Identification Act document.	RFC 3739	UTF8String	This field MUST show the subject's surname including surname prefixes correctly, as shown on the Compulsory Identification Act document.
Subject.organizationName	V	Full name of the subscriber in accordance with the accepted document or Basic Registry	PKIo	UTF8String	The subscriber is the entity with which the TSP has entered into an agreement and on behalf of which or pursuant to which the certificate holder acts when using the certificate. In occupational-linked certificates this is equal to the common name of the certificate holder.
Subject.stateOrProvinceName	A	The use is advised against. If present, this field MUST contain the province in which the subscriber is established in accordance with an accepted document or Basic registry.	PKIo, RFC 3739	UTF8String	Name of the province MUST correspond with the address of the subscriber in accordance with the accepted document or registry.
Subject.localityName	A	The use is advised against. If present, this field MUST contain the location of the subscriber in accordance with an accepted document or Basic registry.	PKIo, RFC 3739	UTF8String	Name of the location MUST correspond with the address of the subscriber in accordance with the accepted document or registry.

Field / Attribute	Criteria	Description	Standard reference	Type	Explanation
Subject.serialNumber	V	Number to be determined by the TSP. The combination of CommonName, OrganizationName and Serialnumber MUST be unique within the context of the TSP.	RFC 3739, X 520, PKIo	Printable String	The serialnumber is intended to distinguish between subjects with the same commonName and the same OrganizationName. To avoid susceptibilities a serial Number attribute MUST be allocated to every subject.
Subject.title	V/N	MUST contain value from limitative list of professions in PoR requirement 3.2.5-pkio160.	ETSI TS 102 280, RFC 3739, RFC 5280		This field SHALL only be used in certificates of the 'professional certificate' type.
subjectPublicKeyInfo	V	Contains, among other things, the public key.	ETSI TS 102 280, RFC 3279		Contains the public key, identifies the algorithm with which the key can be used.

Standard extensions

Field / Attribute	Criteria	Critical?	Description	Standard reference	Type	Explanation
authorityKeyIdentifier	V	No	The algorithm to generate the AuthorityKey MUST be created on an algorithm determined by the PA.	ETSI TS 102 280, RFC 5280	BitString	The value MUST contain the SHA-1 hash from the authorityKey (public key of the TSP/CA).
SubjectKeyIdentifier	V	No	The algorithm to generate the subjectKey MUST be created on an algorithm determined by the PA.	RFC 5280	BitString	The value MUST contain the SHA-1 hash from the subjectKey (public key of the certificate holder).
KeyUsage	V	Yes	<p>The attribute extension specifies the intended purpose of the key incorporated in the certificate. In the PKI for the government, for each certificate type various bits are incorporated in the keyUsage extension.</p> <p>In authenticity certificates the digitalSignature bit MUST be incorporated and marked as critical. Another keyUsage MUST NOT be combined with this.</p> <p>In confidentiality certificates, keyEncipherment and dataEncipherment bits MUST be incorporated and marked as critical. Another keyUsage MUST NOT be combined with this.</p> <p>In certificates for the electronic signature the non-repudiation bit MUST be incorporated and marked as critical. Another keyUsage MUST NOT be combined with this.</p>	RFC 3739, RFC 5280, ETSI TS 102 280	BitString	

Field / Attribute	Criteria	Critical?	Description	Standard reference	Type	Explanation
CertificatePolicies	V	No	<p>MUST contain the OID of the Certificate Policy (CP) and the URI of the Certification Practice Statement (CPS), and MAY contain a user notice. The TSP SHOULD use UTF8String in the userNotice field, but MAY use IA5String.</p> <p>ALL certificates issued with their private key residing on an SSCD (qualified or not) SHOULD contain the ETSI NCP+ OID [0.4.0.2042.1.2]; those issued with their private key NOT residing on an SSCD (qualified or not) SHOULD contain the ETSI NCP OID [0.4.0.2042.1.1].</p> <p>Certificates issued as EU qualified certificates to natural persons with their private key residing in a QSCD, SHOULD contain an additional ETSI QCP-n-qscd OID [0.4.0.194112.1.2], or an additional ETSI QCP-n OID of [0.4.0.194112.1.0] when their private key does not reside on a QSCD.</p>	RFC 3739	OID, String, UTF8String or IA5String	<p>An overview of all Certificate Policy OIDs can be found in the document "PKIoverheid registered OIDs". For the Organization Person domain the OIDs are:</p> <ul style="list-style-type: none"> • Authenticity: 2.16.528.1.1003.1.2.5.1 • Non-repudiation: 2.16.528.1.1003.1.2.5.2 • Confidentiality: 2.16.528.1.1003.1.2.5.3 <p>Reference to the paragraph numbers of the PoR in the user notice is advised against because the persistency of this cannot be guaranteed (unlike the OID number of the CP).</p>
SubjectAltName	V	No	MUST be used and given a personal worldwide unique identification number.	RFC 4043, RFC 5280, PKIo, ETSI 102 280		MUST include a unique identifier in the othername attribute. Attributes other than those mentioned below MUST NOT be used.

Field / Attribute	Criteria	Critical?	Description	Standard reference	Type	Explanation
SubjectAltName.otherName	O		<p>MAY contain an extensions:subjectAltName extension with one or more otherName attributes in its extValue field.</p> <p>An otherName attribute is an object consisting out of a sequence of a type-id field and a value field. Each otherName attribute SHALL contain a value to uniquely identify the subject for which the other permitted subject attributes do not qualify.</p> <p>The type-id field of an otherName attribute SHALL contain one of the following OIDs:</p> <ul style="list-style-type: none"> • <i>Microsoft User Principal Name</i> (MSUPN) [1.3.6.1.4.1.311.20.2.3], or • <i>IA5String</i> [1.3.6.1.4.1.1466.115.121.1.26] but MAY also be [2.5.5.5], or • <i>Permanent Identifier</i> [1.3.6.1.5.5.7.8.3] (described in RFC 4043), or • <i>PKIo-arc OID</i> which can be specifically assigned by the PKIo PA for this purpose (should be described in the PKIo-arc OID document). <p>The value field related to otherName attribute type <i>Microsoft User Principal Name</i> (MSUPN):</p> <ol style="list-style-type: none"> 1. SHALL be encoded in UTF8, and 	PKIo	See description.	Normally, otherName attribute type <i>Microsoft User Principal Name</i> (MSUPN) is used for <i>Single Sign-On</i> (SSO) purposes.

Field / Attribute	Criteria	Critical?	Description	Standard reference	Type	Explanation
			<p>2. SHALL use syntax '<Subscriber number>@<TSP OID>'.</p> <p>The value field related to otherName attribute <i>IA5String</i>:</p> <ol style="list-style-type: none"> 1. SHALL be encoded in ISO 646 (IA5), and 2. SHALL use syntax '<TSP OID>-<Subscriber number>'. <p>The value field related to otherName attribute <i>Permanent Identifier</i> contains a <i>PermanentIdentifier</i> object, consisting out of a sequence of an <i>identifierValue</i> and an <i>assigner</i> field.</p> <p>The <i>PermanentIdentifier:identifierValue</i> field:</p> <ol style="list-style-type: none"> 1. SHALL be encoded in UTF8, and 2. SHALL use syntax '<Subscriber number>'. <p>The <i>PermanentIdentifier:assigner</i> field SHALL contain OID '<TSP OID>'.</p> <p>The value field related to otherName attribute <i>PKIo-arc OID</i> is described in the PKIo-arc OID document.</p> <p>The <TSP OID> consists out of an OID arc number which:</p> <ul style="list-style-type: none"> • has been assigned to the TSP by the PKIo PA specifically for this usage, expanded by a number chosen by the TSP to specify its identification mechanism, and • is documented in the TSP CPS, and 			

Field / Attribute	Criteria	Critical?	Description	Standard reference	Type	Explanation
			<ul style="list-style-type: none"> is persistent. The <Subscriber number> consists out of a number which: <ul style="list-style-type: none"> uniquely and permanently identifies the subject within the namespace of the corresponding OID, and numbering and/or validation mechanism is described in the TSP CPS. 			
SubjectAltName.rfc822Name	A		MAY be used for the certificate holder's e-mail address, for applications that need the e-mail address to be able to function properly.	RFC 5280	IA5String	For PKIoverheid certificates in the Government/Companies and Organization domains, the use of e-mail addresses is advised again, because e-mail addresses of certificate holders often change and furthermore are privacy sensitive (spam). If the e-mail address is included in the certificate, the TSP MUST: <ul style="list-style-type: none"> have the subscriber sign his/her approval for these and; check that the e-mail address belongs to the subscriber's domain, or; check that the e-mail address belongs to the subscriber (e.g. the professional) and that this person has access to the e-mail address (for example by performing a challenge response).

Field / Attribute	Criteria	Critical?	Description	Standard reference	Type	Explanation
BasicConstraints	O	Yes	This field SHALL have its <code>cA</code> sub-field set to its DEFAULT value (FALSE) resulting in an encoded certificate NOT including the <code>cA</code> sub-field. The optional <code>pathLenConstraint</code> sub-field SHALL NOT be included.	RFC 5280		ITU-T Recommendation X.690 (07/2002) on ASN.1 encoding rules states in Section 5.8: "The encoding of a set value or sequence value shall not include an encoding for any component value which is equal to its default value". Stating in the description that "encoded certificates do NOT include the <code>cA</code> sub-field" therefore is redundant. However, in the past some TSPs employed CA-issuing software which did not do proper ASN.1 encoding resulting in a wrongfully included <code>cA</code> sub-field in encoded certificates. This encoding error resulted in some PKIX software rejecting these certificates. This redundant information therefore has to be regarded as a cautionary hint for TSPs to check their actual certificate encoding for these errors. Chances of this encoding bug still existing in ASN.1 encoding software are however slim since the last mention of such a bug on BugZilla is from 2016.
CRLDistributionPoints	V	No	MUST include the URI of a CRL distribution point.	RFC 5280, ETSI TS 102 280		The reference MUST be accessible through the http or LDAP protocol. The attribute Reason MUST NOT be used, reference MUST be made to 1 CRL for all types of reasons for revocation. In addition to CRL, other types of certificate status information service MAY be supported.
ExtKeyUsage	V	No		RFC 5280	KeyPurposeId's	See requirement 7.1-pkio149.

Private extensions

Field / Attribute	Criteria	Critical?	Description	Standard reference	Type	Explanation
authorityInfoAccess	O	No	This attribute MUST include the URI of an OCSRP responder if Online Certificate Status Protocol (OCSRP) plays a role.			This field can optionally be used to reference other additional information about the TSP.
QcStatement	V/N	No	<p>Certificates for the electronic signature MUST indicate that they are issued as qualified certificates complying with annex I of EU regulation 920/2014. This compliance is indicated by including the <code>id-etsi-qcs-QcCompliance</code> statement in this extension.</p> <p>Certificates for the electronic signature MUST indicate that they are issued as type of certificate complying with annex I of EU regulation 920/2014. This compliance is indicated by including the <code>id-etsi-qct-esign</code> statement in this extension.</p> <p>Certificates for the electronic signature MUST indicate that the private key that is part of the public key in the certificate is saved on a <i>qualified signature creation device</i> (QSCD) complying with annex II of EU regulation 920/2014. This compliance is indicated by including the <code>id-etsi-qcs-QcSSCD</code> statement in this extension.</p>	RFC 3739, ETSI TS 102 280, ETSI TS 101 862	OID	<p>The aforementioned QcStatement identifiers relate to the following OIDs:</p> <ul style="list-style-type: none"> • <code>id-etsi-qcs-QcCompliance { id-etsi-qcs 1 } 0.4.0.1862.1.1</code> • <code>id-etsi-qct-esign { id-etsi-qcs-QcType 1 } 0.4.0.1862.1.6.1</code> • <code>id-etsi-qcs-QcSSCD { id-etsi-qcs 4 } 0.4.0.1862.1.4</code> • <code>id-etsi-qcs-QcPDS { id-etsi-qcs 5 } 0.4.0.1862.1.5</code>

Field / Attribute	Criteria	Critical?	Description	Standard reference	Type	Explanation
			<p>Certificates for the electronic signature MUST contain a reference to the location of the PKI Disclosure Statement (PDS). This URL must present in the <code>id-etsi-qcs-QcPDS</code> statement in this extension.</p> <p>The certificates for authenticity and the certificates for confidentiality MUST NOT use this extension.</p>			